



Saves Your Energy

PRODUCT CARD

9/13/16

NAC21.B

2-pólový konektor bez odlehčovače tahu, vidlice

Kód	NAC21.B
GTIN	6418677113840
Název	2-pólový konektor bez odlehčovače tahu, vidlice EnstoNet Černá (1, N)
Popis	Pro pružné, slaněné a plné dráty. Část pro připojení drátů 0,75-4,0 mm ² . Váha 6,6 g. Póly značeny v závorkách.
Dodavatel	Ensto Finland Oy



Technické parametry

Technické údaje

UL Wire range: 12 ... 18 AWG

Dimensions

Weight: 6.6 g
 Conductor cross-section: 0,75 - 4 mm²
 Dimensions l x w x h: 32x29x18

Temperatures

Max. operating temperature: +70 °C

Materials

Material: Polyamide 66

Colors

Color: Black

Features

Pole markings: 1,N

Drawing markings

L: 250 mm

Ratings

Rated voltage: 250 V

Degree of protection: IP20

Rated current: 20 A

ETIM: EC002560

US specific

UL Rated voltage: 250 V

UL Rated current: 16 A

ETIM

ETIM

Width: 29 mm

Length: 32 mm

Height: 18 mm

Balení

Balení

Unit: PCS

Size: 500

Length: 385 mm

Width: 260 mm

Height: 130 mm

Weight (brt): 3.55 kg

Volume: 13.013

Pallet package

Size: 31500

