



Saves Your Energy

PRODUCT CARD

9/13/16

NAC41.B

4-pólový konektor bez odlehčení tahu, vidlice

Kód	NAC41.B
GTIN	6418677114007
Název	4-pólový konektor bez odlehčení tahu, vidlice EnstoNet Černá (1, PE, N, 2)
Popis	Pro pružné, slaněné a plné dráty. Průřezy vodičů: 0,75-4,0 mm ² . Váha 12,8 g. Póly značeny v závorkách.
Dodavatel	Ensto Finland Oy



Technické parametry

Dimensions

Weight:	12.8 g
Conductor cross-section:	0,75 - 4 mm ²
Dimensions l x w x h:	32x49x18

Temperatures

Max. operating temperature:	+70 °C
Min. installation temperature:	+5 °C
Min. operating temperature:	-30 °C (without mechanical stress)

Materials

Material:	Polyamide 66
------------------	--------------

Colors

Color:	Black
---------------	-------

Features

Pole markings:	1,PE,N,2
-----------------------	----------

Ratings

Rated voltage:	250 ... 400 V
-----------------------	---------------

Degree of protection: IP20
Rated current: 20 A
ETIM: EC002560

ETIM

ETIM

Width: 49 mm
Length: 32 mm
Height: 18 mm

Balení

Balení

Unit: PCS
Size: 100
Length: 220 mm
Width: 220 mm
Height: 125 mm
Weight (brt): 1.416 kg
Volume: 6.05

Pallet package

Size: 12500
Length: 1200 mm
Width: 800 mm
Height: 1150 mm

