

Certificate of Compliance

Certificate Number:

UL-US-L172877-1215-
82112102-2

Report Reference:

E172877-20121128

Issue Date:

2024-11-14

Issued to:

CARLO GAVAZZI LTD

BLB042

BULEBEL INDUSTRIAL ESTATE ZEJTUN ZTN 3000

Malta

This certificate confirms that representative samples of:

NMFT - Motor Controllers, Mechanically Operated and Solid-state

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172877-1215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
RGC3 Basic/Monitoring Series with larger heatsink , RGC, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC2B_A is not available), followed by 48, followed by K or G, followed by K or G, followed by E, may be followed by D or A, may be followed by M (Monitoring), may be followed by TW, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC3P 3-Phase Series with Auxiliary Supply , RGC, followed by 3, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 20, 25 or 30, followed by CXX (where XX is any number from 01 to 99), E, S or SXX (where XX is any number from 01 to 99), may be followed by D or A, may be followed by P or M, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx3 Series with Integrated Fan , RGC, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC3B_A is not available), followed by 40 or 65, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGC3_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCD2 - 2 Independently Switched Poles Series , RGC, followed by D, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCD2B_A is not available), followed by 25 or 40, followed by M, G or K, followed by K or G, followed by E, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCD2 - 2 Independently Switched Poles with fan , RGC, followed by D, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCD2B_A is not available), followed by 50 or 75, followed by M, G or K, followed by K or G, followed by E, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2P 2-Phase Series with Auxiliary Supply , RGC, followed by 2, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 50 or 75, followed by CXX (where XX is any number from 01 to 99), may be followed by D or A, followed by F, may be followed by P or M, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172877-1215-82112102-2
 Report reference E172877-20121128
 Date 2024-11-14

RGx2 Basic/Monitoring , RGC, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC2B_A is not available), followed by 10, 25 or 40, followed by M, G or K, followed by K or G, followed by E, may be followed by D or A (the code RGC2_A_D is not available), may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2 Basic/Monitoring Series with larger heatsink , RGC, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D, (the code RGC2B_A is not available), followed by 60, followed by K or G, followed by K or G, followed by E, may be followed by D or A, may be followed by M (Monitoring), may be followed by TW, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx3 Basic/Monitoring Series , RGC, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC3B_A is not available), followed by 10, 20, 25 or 30, followed by M, K or G, followed by K or G, followed by E, may be followed by D or A (the code RGC3_A_D is not available), may be followed by M (Monitoring), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2P 2 - Phase Series with Auxiliary Supply , RGC, followed by 2, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 15, 25 or 40, followed by CXX (where XX is any number from 01 to 99), may be followed by D or A, may be followed by P or M, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx2 Series with Integrated Fan , RGC, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC2B_A is not available), followed by 50 or 75, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGC2_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC3P 3 - Phase Series Current Control , RGC, followed by 3, followed by P, followed by 23, 40, 48 or 60, followed by AA, followed by 20, 25 or 30, followed by C1 or E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2P 2 - Phase Current Control , RGC, followed by 2, followed by P, followed by 23, 40, 48 or 60, followed by AA, followed by 15, 25, or 40, followed by C1, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC3P 3 Phase Series with Auxiliary Supply , RGC, followed by 3,, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 40 or 65, followed by CXX (where XX is any number from 01 to 99), E, S or SXX (where XX is any number from 01 to 99), may be followed	Motor Controllers - Mechanical or Solid State

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172877-1215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

by D or A, followed by F, may be followed by P or M, may be followed by S52, may be followed by suffixes.	
RGCM Basic Series , RGCM, , followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCM2B_A is not available), followed by 20, followed by M or G, followed by K, followed by E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCM Basic Series , RGCM,, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCM3B_A is not available), followed by 15, followed by M or G, followed by K, followed by E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCT3-3 Independently Switched Poles with Fan , RGCT, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCT3B_A is not available), followed by 40 or 65, followed by M, G or K, followed by K or G, followed by E, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCT3 -3 Independently Switched Poles , RGCT, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCT3B_A is not available), followed by 10, 20, 25 or 30, followed by M, G or K, followed by K or G, followed by E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx2 Basic/Monitoring , RGH, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH2B_A is not available), followed by 25 or 40, followed by M, G or K, followed by K or G, followed by E, may be followed by D or A (the code RGH2_A_D is not available), may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx3 Series with Integrated Fan , RGH, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH3B_A is not available), followed by 40 or 60, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGH3_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx2 Series with Integrated Fan , RGH, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH2B_A is not available), followed by 50 or 75, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGx2_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L172877-1215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

RGx3 Basic/Monitoring Series , RGH, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH3B_A is not available), followed by 20, 25 or 30, followed by M, K or G, followed by K or G, followed by E, may be followed by D or A (the code RGH3_A_D is not available), may be followed by M (Monitoring), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGTS24-Single Pole Switching, 1-Phase Soft Starter , RGT, followed by S, followed by 24, followed by 12, 16 or 25, followed by 0, F or G, followed by F or G, followed by VXX (where XX is any number from 00 to 99), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGTD - Dual Pole Switching, 3-Phase Soft Starter , RGT,, followed by 24, 40, 48 or 60, followed by 12, 16 or 25, followed by 0, F or G, followed by F or G, followed by VXX (where XX is any number from 00 to 99), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGTS-Single Pole Switching, 3-Phase Torque Limiter , RGT, followed by S,, followed by 40, 48 or 60, followed by 12, 16 or 25, followed by 0, followed by F or G, followed by VXX (where XX is any number from 00 to 99), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State

Certificate of Compliance

Certificate Number:

UL-CA-L172877-4215-
82112102-2

Report Reference:

E172877-20121128

Issue Date:

2024-11-14

Issued to:

**CARLO GAVAZZI LTD
BLB042
BULEBEL INDUSTRIAL ESTATE ZEJTUN ZTN 3000
Malta**

This certificate confirms that representative samples of:

NMFT7 - Motor Controllers, Mechanically Operated and Solid-state Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L172877-4215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
RGC3 Basic/Monitoring Series with larger heatsink , RGC, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC2B_A is not available), followed by 48, followed by K or G, followed by K or G, followed by E, may be followed by D or A, may be followed by M (Monitoring), may be followed by TW, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC3P 3-Phase Series with Auxiliary Supply , RGC, followed by 3, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 20, 25 or 30, followed by CXX (where XX is any number from 01 to 99), E, S or SXX (where XX is any number from 01 to 99), may be followed by D or A, may be followed by P or M, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx3 Series with Integrated Fan , RGC, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC3B_A is not available), followed by 40 or 65, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGC3_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCD2 - 2 Independently Switched Poles Series , RGC, followed by D, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCD2B_A is not available), followed by 25 or 40, followed by M, G or K, followed by K or G, followed by E, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCD2 - 2 Independently Switched Poles with fan , RGC, followed by D, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCD2B_A is not available), followed by 50 or 75, followed by M, G or K, followed by K or G, followed by E, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2P 2-Phase Series with Auxiliary Supply , RGC, followed by 2, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 50 or 75, followed by CXX (where XX is any number from 01 to 99), may be followed by D or A, followed by F, may be followed by P or M, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L172877-4215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

RGx2 Basic/Monitoring , RGC, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC2B_A is not available), followed by 10, 25 or 40, followed by M, G or K, followed by K or G, followed by E, may be followed by D or A (the code RGC2_A_D is not available), may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2 Basic/Monitoring Series with larger heatsink , RGC, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D, (the code RGC2B_A is not available), followed by 60, followed by K or G, followed by K or G, followed by E, may be followed by D or A, may be followed by M (Monitoring), may be followed by TW, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx3 Basic/Monitoring Series , RGC, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC3B_A is not available), followed by 10, 20, 25 or 30, followed by M, K or G, followed by K or G, followed by E, may be followed by D or A (the code RGC3_A_D is not available), may be followed by M (Monitoring), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2P 2 - Phase Series with Auxiliary Supply , RGC, followed by 2, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 15, 25 or 40, followed by CXX (where XX is any number from 01 to 99), may be followed by D or A, may be followed by P or M, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx2 Series with Integrated Fan , RGC, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGC2B_A is not available), followed by 50 or 75, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGC2_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC3P 3 - Phase Series Current Control , RGC, followed by 3, followed by P, followed by 23, 40, 48 or 60, followed by AA, followed by 20, 25 or 30, followed by C1 or E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC2P 2 - Phase Current Control , RGC, followed by 2, followed by P, followed by 23, 40, 48 or 60, followed by AA, followed by 15, 25, or 40, followed by C1, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGC3P 3 Phase Series with Auxiliary Supply , RGC, followed by 3,, followed by P, followed by 23, 40, 48 or 60, followed by I or V, followed by 40 or 65, followed by CXX (where XX is any number from 01 to 99), E, S or SXX (where XX is any number from 01 to 99), may be followed	Motor Controllers - Mechanical or Solid State



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L172877-4215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

by D or A, followed by F, may be followed by P or M, may be followed by S52, may be followed by suffixes.	
RGCM Basic Series , RGCM, , followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCM2B_A is not available), followed by 20, followed by M or G, followed by K, followed by E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCM Basic Series , RGCM,, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCM3B_A is not available), followed by 15, followed by M or G, followed by K, followed by E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCT3-3 Independently Switched Poles with Fan , RGCT, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCT3B_A is not available), followed by 40 or 65, followed by M, G or K, followed by K or G, followed by E, may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGCT3 -3 Independently Switched Poles , RGCT, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGCT3B_A is not available), followed by 10, 20, 25 or 30, followed by M, G or K, followed by K or G, followed by E, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx2 Basic/Monitoring , RGH, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH2B_A is not available), followed by 25 or 40, followed by M, G or K, followed by K or G, followed by E, may be followed by D or A (the code RGH2_A_D is not available), may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx3 Series with Integrated Fan , RGH, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH3B_A is not available), followed by 40 or 60, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGH3_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGx2 Series with Integrated Fan , RGH, followed by 2, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH2B_A is not available), followed by 50 or 75, followed by G, followed by G or K, followed by E, followed by D, A, A1 or A2 (the code RGx2_A_D is not available), followed by F, may be followed by M (Monitoring), may be followed by S52, may be followed by suffixes.	Motor Controllers - Mechanical or Solid State



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L172877-4215-82112102-2
Report reference E172877-20121128
Date 2024-11-14

RGx3 Basic/Monitoring Series , RGH, followed by 3, followed by A or B, followed by 22, 40, 48 or 60, followed by A or D (the code RGH3B_A is not available), followed by 20, 25 or 30, followed by M, K or G, followed by K or G, followed by E, may be followed by D or A (the code RGH3_A_D is not available), may be followed by M (Monitoring), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGTS24-Single Pole Switching, 1-Phase Soft Starter , RGT, followed by S, followed by 24, followed by 12, 16 or 25, followed by 0, F or G, followed by F or G, followed by VXX (where XX is any number from 00 to 99), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGTD - Dual Pole Switching, 3-Phase Soft Starter , RGT,, followed by 24, 40, 48 or 60, followed by 12, 16 or 25, followed by 0, F or G, followed by F or G, followed by VXX (where XX is any number from 00 to 99), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State
RGTS-Single Pole Switching, 3-Phase Torque Limiter , RGT, followed by S,, followed by 40, 48 or 60, followed by 12, 16 or 25, followed by 0, followed by F or G, followed by VXX (where XX is any number from 00 to 99), may be followed by suffixes.	Motor Controllers - Mechanical or Solid State



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.