


Category (ETIM):	Variable device mount
Type:	Device mounts IP20 SDGVOB LED
Order number:	18510404150
Configuration:	LED, Colour rendering/Light colour CRI \geq 80 / 4000K
LED service life:	50000h L80/B10
Operating device:	Electronic driver (1 pcs.)
Mains voltage:	230V / 50Hz
System performance (W):	75
Luminaire luminous flux (lm):	10000
Luminaire luminous efficacy (lm/W):	131
Energy efficiency class:	A++
Ambient temperatures:	10°C / 25°C
Certifications:	IP 20, protection class I, ENEC10 VDE, F, DIN10500/Food, Indoor, CE
Colour of the housing:	traffic white RAL 9016
Weight (net) (kg):	2
Dimensions LxWxH/DxH (mm):	1531 x 55 x 37
mounting method:	Mounting rail system mounting
EAN-number:	4020863325450
Commodity code:	94051098

Quick-fit mounting system Variable device mount; Device mount made of galvanised, profiled sheet steel, surface coated with polyester resin enamel. Toolless fastening with two integrated pressure locks. Can be variably positioned on the mounting rail. Housing colour traffic white RAL 9016; Direct wide-beam light distribution using individual. lens. optic made of PMMA plastic. Continuous optics. Heat-resistant cables including connection cable 1m and rapid installation plug connector with phase preselection without tools and locating finger.

Dimensions LxWxH/DxH (mm): 1531 x 55 x 37
 Configuration: LED, Colour rendering/Light colour CRI \geq 80 / 4000K
 LED service life: 50000h L80/B10
 Luminaire luminous flux (lm): 10000
 Luminaire luminous efficacy (lm/W): 131
 Operating device: Electronic driver (1 pcs.)
 System performance (W): 75
 Energy efficiency class: A++
 Conditions: Suitable for use in ambient temperatures of 10°C to 25°C
 Certifications: IP 20, protection class I, ENEC10 VDE, F, DIN10500/Food, Indoor, CE


Regiolux GmbH
 Type: SDGVOB LED 10000 840 ET vw
 Article number: 18510404150
 Product deep link:
<http://www.regiolux.de/de/article/18510404150>
 5 year guarantee after registration on website.

SDGVOB LED 10000lm 840 - vw - ET - 18510404150



Lighting technology

Individual.Lens.Optic-direct wide distribution
 SDGVOB LED 10000 lm 840



η_{LB} 100 %
 lm/W 131
 $\phi \downarrow / \uparrow$ 98 % / 2 %
 UGRq/l 22.1 / 22.5

