


# CHIP OVALE

design by ROBERTO FIORATO



- GR-94 / Metallic grey / Textured
- BK-81 / Black / Textured
- WH-87 / White / Textured

Series of ceiling, wall, bracket and post mounted luminaires for indoor and outdoor, in two sizes, comprising:


- Technopolymer housing, trim or screen
- Pressed glass diffuser, white painted inside
- Aluminium reflector for incandescent versions
- Silicone gasket
- Stainless steel screws (security screws available upon request)
- Side entry for 20 mm conduits (drill out holes in housing)
- Also available in round shape
- 960° codes are available for french market only




CHIP OVALE 25



CHIP OVALE 30



CHIP OVALE 25  
GRILL





CHIP OVALE 30  
GRILL

## Package size

 CHIP OVALE 25  
30 x 29 x 51,5 cm  
(master x 6)


 CHIP OVALE 30  
37,5 x 33 x 60,5 cm  
(master x 6)

## Fixing holes



## CHIP OVALE 25 LED


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
<b>Power LED 220-240 V 50/60 Hz</b>															
LED	10 W	I		80	4000		S/EW	-	738 lm	397 lm	80	10	50000 h	●	<b>301388</b>
LED	10 W	I		80	3000		S/EW	-	672 lm	392 lm	80	10	50000 h	●	<b>3013886</b>
LED	10 W	I		80	4000		S/EW	-	738 lm	397 lm	80	10	50000 h	●	<b>301389</b>
LED	10 W	I		80	3000		S/EW	-	672 lm	392 lm	80	10	50000 h	●	<b>3013896</b>
LED	10 W	I		80	4000		S/EW	-	738 lm	397 lm	80	10	50000 h	○	<b>301387</b>
LED	10 W	I		80	3000		S/EW	-	672 lm	392 lm	80	10	50000 h	○	<b>3013876</b>



## CHIP OVALE 25


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	<b>005704</b>
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	<b>005702</b>
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	○	<b>005700</b>

◀▶ Dulux EL Longlife E27 1x11W / ▶ GE FLE E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

## CHIP OVALE 25 960°


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	<b>005699</b>
E27	1x21 W	II	•	-	-		S/EW	-	-	-	-	-	-	○	<b>005698</b>

◀▶ Dulux EL Longlife E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

## CHIP OVALE 25 LED GRILL


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
<b>Power LED 220-240 V 50/60 Hz</b>															
LED	10 W	I		80	4000		A/EW	-	738 lm	224 lm	80	10	50000 h	●	<b>301612</b>
LED	10 W	I		80	3000		A/EW	-	672 lm	247 lm	80	10	50000 h	●	<b>3016126</b>
LED	10 W	I		80	4000		A/EW	-	738 lm	224 lm	80	10	50000 h	●	<b>301613</b>
LED	10 W	I		80	3000		A/EW	-	672 lm	247 lm	80	10	50000 h	●	<b>3016136</b>
LED	10 W	I		80	4000		A/EW	-	738 lm	224 lm	80	10	50000 h	○	<b>301611</b>
LED	10 W	I		80	3000		A/EW	-	672 lm	247 lm	80	10	50000 h	○	<b>3016116</b>



## CHIP OVALE 25 GRILL


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	<b>005708</b>
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	<b>005707</b>
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	○	<b>005706</b>

◀▶ Dulux EL Longlife E27 1x11W / ▶ GE FLE E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

## CHIP OVALE 25 GRILL 960°


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	●	<b>005710</b>
E27	1x21 W	II	•	-	-		A/EW	-	-	-	-	-	-	○	<b>005709</b>

◀▶ Dulux EL Longlife E27 1x11W / ▶ Megaman MM332 E27 1x20W / ▶ PHILIPS PL-E E27 1x8W

## CHIP OVALE 30 LED


IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
<b>Power LED 220-240 V 50/60 Hz</b>															
LED	13,5 W	I		80	4000		S/EW	-	738 lm	585 lm	80	10	50000 h	●	<b>301401</b>
LED	13,5 W	I		80	3000		S/EW	-	672 lm	532 lm	80	10	50000 h	●	<b>3014016</b>
LED	13,5 W	I		80	4000		S/EW	-	738 lm	585 lm	80	10	50000 h	●	<b>301402</b>
LED	13,5 W	I		80	3000		S/EW	-	672 lm	532 lm	80	10	50000 h	●	<b>3014026</b>
LED	13,5 W	I		80	4000		S/EW	-	738 lm	585 lm	80	10	50000 h	○	<b>301400</b>
LED	13,5 W	I		80	3000		S/EW	-	672 lm	532 lm	80	10	50000 h	○	<b>3014006</b>



## CHIP OVALE 30

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS		CRI	KELVIN	COS $\theta$ $\geq 0,9$	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x30 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	<b>005784</b>
E27	1x30 W	II	•	-	-		S/EW	-	-	-	-	-	-	●	<b>005782</b>
E27	1x30 W	II	•	-	-		S/EW	-	-	-	-	-	-	○	<b>005780</b>

◀▶ Dulux EL Longlife E27 1x12W / ▶ Dulux EL Longlife E27 1x23W / ▶ GE FLE E27 1x23W / ▶ Megaman MM332 E27 1x23W / ▶ PHILIPS PL-E E27 1x23W

## CHIP OVALE 30 LED GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS φ ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
<b>Power LED 220-240 V 50/60 Hz</b>														
LED	13,5 W	I	80	4000		A/EW	-	1002 lm	295 lm	80	10	50000 h	●	<b>301617</b>
LED	13,5 W	I	80	3000		A/EW	-	912 lm	295 lm	80	10	50000 h	●	<b>3016176</b>
LED	13,5 W	I	80	4000		A/EW	-	1002 lm	295 lm	80	10	50000 h	●	<b>301618</b>
LED	13,5 W	I	80	3000		A/EW	-	912 lm	295 lm	80	10	50000 h	●	<b>3016186</b>
LED	13,5 W	I	80	4000		A/EW	-	1002 lm	295 lm	80	10	50000 h	○	<b>301616</b>
LED	13,5 W	I	80	3000		A/EW	-	912 lm	295 lm	80	10	50000 h	○	<b>3016166</b>



## CHIP OVALE 30 GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS φ ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
E27	1x30 W	II	-	-		A/EW	-	-	-	-	-	-	●	<b>005788</b>
E27	1x30 W	II	-	-		A/EW	-	-	-	-	-	-	●	<b>005787</b>
E27	1x30 W	II	-	-		A/EW	-	-	-	-	-	-	○	<b>005786</b>

⊞ Dulux EL Longlife E27 1x12W / ⊞ Dulux EL Longlife E27 1x23W / ⊞ GE FLE E27 1x23W / ⊞ Megaman MM332 E27 1x23W / ⊞ PHILIPS

PL-E E27 1x23W

## OPTIONAL ACCESSORIES

### CHIP OVALE 25 Brackets

Technopolymer range of accessories suitable for wall and post mounting the Chip Ovale 25 only.

Suitable for single or twin (back to back) luminaire mounting either vertically or on a 40° angled position. To ensure correct drainage a 6mm hole should be drilled on the lower part of the trim (please refer to installation and maintenance instruction sheet).

The accessories for post mount are suitable for either standard Ø 60 mm posts or Ø 42 mm posts.

### M1/M2 Post CHIP OVALE 25

#### Mini M1/M2 Post

- Post made of painted extruded aluminium suitable for single or twin (back to back) luminaire mounting
- Technopolymer brackets
- Self-extinguishing technopolymer junction box with 4-pole 16 mm<sup>2</sup> terminal.

DESCRIPTION	COLOR	PART NUMBER
<b>CHIP OVALE</b>		
Corner bracket (vertical mount)	●	<b>000790</b>
Corner bracket(angled mount)	●	<b>000792</b>
Angled bracket 40°	●	<b>000503</b>
Angled bracket 40°	●	<b>000502</b>
Angled bracket for 42 mm post	●	<b>000800</b>
Angled bracket for 60 mm post	●	<b>000802</b>
Twin angled bracket for 60 mm post	●	<b>000810</b>
Post M1	●	<b>000997</b>
Post M1	●	<b>000996</b>
Post M2	●	<b>000999</b>
Post M2	●	<b>000998</b>

