

CHIP TONDO

design by ROBERTO FIORATO



- GR-94 / Metallic grey / Textured
- BK-81 / Black / Textured
- WH-87 / White / Textured

Series of wall, ceiling and post mounted luminaires in two dimensions for indoor and outdoor lighting, comprising:


- Technopolymer housing, trim or screen
- Pressed glass diffuser, white painted inside
- Aluminium reflector for incandescent versions
- Technopolymer reflector for fluorescent versions
- Silicone gasket
- Side entry for 20 mm conduits (drill out holes in housing)
- Stainless steel screws (security screws available upon request)
- 960° PC versions available on request




CHIP TONDO
25



CHIP TONDO
30



CHIP TONDO
25 GRILL






CHIP TONDO
30 GRILL

Package size

CHIP TONDO 25
31 x 42,5 x 57 cm
(master x 6)

CHIP TONDO 30
18,5 x 61,5 x 61,5 cm
(master x 4)

Fixing holes



CHIP TONDO 25 LED

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	 CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz														
LED	9,5 W	I		80 4000		S/EW	-	825 lm	399 lm	80	10	50000 h	●	301423
LED	9,5 W	I		80 3000		S/EW	-	720 lm	383 lm	80	10	50000 h	●	3014236
LED	9,5 W	I		80 4000		S/EW	-	825 lm	399 lm	80	10	50000 h	●	301422
LED	9,5 W	I		80 3000		S/EW	-	720 lm	383 lm	80	10	50000 h	●	3014226
LED	9,5 W	I		80 4000		S/EW	-	825 lm	399 lm	80	10	50000 h	○	301421
LED	9,5 W	I		80 3000		S/EW	-	720 lm	383 lm	80	10	50000 h	○	3014216



CHIP TONDO 25

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	 CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast														
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	●	055744
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	●	055742
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	○	055740
E27	1x21 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005744
E27	1x21 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005742
E27	1x21 W	II	•	-	-	S/EW	-	-	-	-	-	-	○	005740

⌘ Dulux EL Longlife E27 1x11W / ⌘ GE FLE E27 1x11W / ⌘ Megaman MM332 E27 1x20W / ⌘ PHILIPS PL-E E27 1x8W

CHIP TONDO 25 GRILL

IK06 1J xx3


LAMPHOLDER	WATTAGE	CLASS	 CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast														
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	●	055748
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	●	055747
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	○	055746
E27	1x21 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	005748
E27	1x21 W	II	•	-	-	A/EW	-	-	-	-	-	-	●	005747
E27	1x21 W	II	•	-	-	A/EW	-	-	-	-	-	-	○	005746

⌘ Dulux EL Longlife E27 1x11W / ⌘ GE FLE E27 1x11W / ⌘ Megaman MM332 E27 1x20W / ⌘ PHILIPS PL-E E27 1x8W



OPTIONAL ACCESSORIES


DESCRIPTION	COLOR	PART NUMBER
CHIP TONDO		
Double Post	●	000500
Double Post	●	000501



Complete unit
1A+1B = please order 2 codes
2A+1B = please order 3 codes

COMPONENTS

A luminaire
B pole



000500
000501

CHIP TONDO 30 LED

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz														
LED	13,5 W	I	80	4000		S/EW	-	1002 lm	540 lm	80	10	50000 h	●	301428
LED	13,5 W	I	80	3000		S/EW	-	912 lm	472 lm	80	10	50000 h	●	3014286
LED	13,5 W	I	80	4000		S/EW	-	1002 lm	540 lm	80	10	50000 h	●	301426
LED	13,5 W	I	80	3000		S/EW	-	912 lm	472 lm	80	10	50000 h	●	3014266
LED	13,5 W	I	80	4000		S/EW	-	1002 lm	540 lm	80	10	50000 h	○	301424
LED	13,5 W	I	80	3000		S/EW	-	912 lm	472 lm	80	10	50000 h	○	3014246



CHIP TONDO 30

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast														
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	●	055837
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	●	055835
G24q-2	1x18 W	II	-	2700	•	S/EW	-	-	-	-	-	-	○	055833
E27	1x30 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005825
E27	1x30 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005823
E27	1x30 W	II	•	-	-	S/EW	-	-	-	-	-	-	○	005821

☞ Dulux EL Longlife E27 1x15W / ☞ GE FLE E27 1x15W / ☞ Megaman MM332 E27 1x20W / ☞ PHILIPS PL-E E27 1x18W / ☞ PHILIPS PL-E E27 1x20W

CHIP TONDO 30 GRILL

IK06 1J xx3

LAMPHOLDER	WATTAGE	CLASS	CRI	KELVIN	COS Ø ≥ 0,9	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Fluorescent- electronic ballast														
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	●	055841
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	●	055840
G24q-2	1x18 W	II	-	2700	•	A/EW	-	-	-	-	-	-	○	055839
E27	1x30 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005829
E27	1x30 W	II	•	-	-	S/EW	-	-	-	-	-	-	●	005828
E27	1x30 W	II	•	-	-	S/EW	-	-	-	-	-	-	○	005827

☞ Dulux EL Longlife E27 1x15W / ☞ GE FLE E27 1x15W / ☞ Megaman MM332 E27 1x20W / ☞ PHILIPS PL-E E27 1x18W / ☞ PHILIPS PL-E E27 1x20W

